

Drees 2020 Flooring Lineup

Carpet

Hardwood

LVP

Vinyl

Capital Carpets Inc.



Drees
HOMESSM

DREES CARPET



**MORE MOVE-INS ARE
BUILT ON MOHAWK.**


MOHAWK
BUILDER + MULTIFAMILY

Top Card BP807 EverStrand (polyester) 20 Colors	Gauge: 5/32	Pile Height: 0.499	Weight: 25
Easy Street BP993 EverStrand (polyester) 16 Colors	Gauge: 5/32	Pile Height: 0.5	Weight: 25
Mira Bella BP30A 8 Colors	Gauge: 5/32	Pile Height: 0.344	Weight: 26
Original Style BP83B SmartStrand (Triexta) 16 Colors	Gauge:	Pile Height:	Weight: 25
True Method BP82B SmartStrand (Triexta) 16 Colors	Gauge:	Pile Height:	Weight: 25
Dramatic Feeling BP25B EverStrand (polyester) 28 Colors	Gauge: 1/8	Pile Height: 0.479	Weight: 35
Soft Heritage BP56B 24 Colors	Gauge: 1/10	Pile Height: 0.43	Weight: 35
Native Appeal BP44B EverStrand (polyester) 20 Colors	Gauge: 1/8	Pile Height: 0.348	Weight: 25
Natural Focus BP42B EverStrand (polyester) 20 Colors	Gauge: 1/8	Pile Height: 0.349	Weight: 25
Natural Design BP79B EverStrand (polyester) 8 Colors	Gauge: 1/8	Pile Height: 0.35	Weight: 25



Top Card

Style: BP807 | Fiber: EverStrand (polyester) | 20 Colors

Color: Crossroads - 851




Style Name Top Card
Style Number BP807
Color Name Blue
Color Number 545



Gauge:
5/32



Pile Height:
0.499



Density:
1789

DESIGN

Fiber Type	Polyester
Fiber Description	EverStrand (polyester)
Construction	Tufted
Gauge	5/32
Weight	25
Stitches Per Inch	8
Density	1789
Pile Height	0.499

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus	GLP 7678
FHA Compliance	YES
Durability Rating	3
Made In USA	YES

WEIGHTS & MEASURES

Roll Width	12 feet wide
-------------------	--------------



Easy Street

Style: BP993 | Fiber: EverStrand (polyester) | 16 Colors

Color: Linen Canvas - 716



Linen Canvas - 716 Champagne - 718 Porcelain Bisque - 721 Mushroom Cap - 727 Spice Cake - 728 Buckwheat - 731 Pebble Path - 747 Caramel Ripple - 841 Taupe Treasure - 858 Cigar Leaf - 861 Walnut Shell - 863 Pine Cone - 876 Rainswept - 929 Fedora Grey - 935 Metallics - 955 Evening Shadow - 979

Style Name Easy Street
Style Number BP993
Color Name Beige
Color Number 716



DESIGN

Fiber Type	Polyester
Fiber Description	EverStrand (polyester)
Construction	Tufted
Gauge	5/32
Weight	25
Stitches Per Inch	6
Density	1590
Pile Height	0.5

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus	GLP 7678
FHA Compliance	YES
Durability Rating	3
Made In USA	YES

WEIGHTS & MEASURES


Roll Width	12 feet wide
-------------------	--------------



Gauge:
5/32



Pile Height:
0.5



Density:
1590



Color: Amber Waves - 499



Amber Waves - 499 Arctic Ivory - 711 Sandy Cove - 717 Putty - 718 Cultured Pearl - 721 Manilla Tan - 728 Amish Linen - 738 Golden Glow - 820

Style Name Mira Bella
Style Number BP30A
Color Name Brown
Color Number 499



Gauge:
5/32



Pile Height:
0.344



Density:
0

DESIGN

Fiber Type Olefin
Fiber Description
Construction Tufted
Gauge 5/32
Weight 26
Stitches Per Inch 7
Density 0
Pile Height 0.344

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus GLP 3878
FHA Compliance YES
Durability Rating 3
Made In USA YES

WEIGHTS & MEASURES

Roll Width 12 feet wide



Original Style

Style: BP83B | Fiber: SmartStrand (Triexta) | 16 Colors

Color: Linen - 711



Linen - 711 French Toast - 768 Canvas - 805 Fawn - 824 Oat - 829 Enchanting - 840 Safari - 848 Longhorn - 851 Pinecone - 860 Truffle - 869 Rich Copper - 876 Hamlet - 879 Ice Grey - 940



Fog - 964 Illusion - 983 Mystique - 984

Style Name	Original Style
Style Number	BP83B
Color Name	Beige
Color Number	711



DESIGN

Fiber Type	50% Triexta/ 50% PET
Fiber Description	SmartStrand (Triexta)
Construction	Tufted
Gauge	
Weight	25
Stitches Per Inch	
Density	
Pile Height	

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus	
FHA Compliance	
Durability Rating	
Made In USA	YES

WEIGHTS & MEASURES

Roll Width	12 feet wide
-------------------	--------------



Gauge:



Pile Height:



Density:




True Method

Style: BP82B | Fiber: SmartStrand (Triexta) | 16 Colors

Color: Linen - 711



Linen - 711 French Toast - 768 Canvas - 805 Fawn - 824 Oat - 829 Enchanting - 840 Safari - 848 Longhorn - 851 Pinecone - 860 Truffle - 869 Rich Copper - 876 Hamlet - 879 Ice Grey - 940




Style Name True Method
Style Number BP82B
Color Name Beige
Color Number 711



Gauge:



Pile Height:



Density:

DESIGN

Fiber Type 75% Triexta 25% PET
Fiber Description SmartStrand (Triexta)
Construction Tufted
Gauge
Weight 25
Stitches Per Inch 7
Density
Pile Height

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus


FHA Compliance

Durability Rating

Made In USA YES

WEIGHTS & MEASURES

Roll Width 12 feet wide



Dramatic Feeling

Style: BP25B | Fiber: EverStrand (polyester) | 28 Colors

Color: Rose - 322




Style Name Dramatic Feeling
Style Number BP25B
Color Name Red
Color Number 322



Gauge:
1/8



Pile Height:
0.479



Density:
2503

DESIGN

Fiber Type	Polyester
Fiber Description	EverStrand (polyester)
Construction	Tufted
Gauge	1/8
Weight	35
Stitches Per Inch	10
Density	2503
Pile Height	0.479

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus	GLP 7678
FHA Compliance	YES
Durability Rating	3
Made In USA	NO

WEIGHTS & MEASURES


Roll Width	12 feet wide
-------------------	--------------



Soft Heritage

Style: BP56B | Fiber: | 24 Colors

Color: Glacial Seas - 533



Style Name Soft Heritage
Style Number BP56B
Color Name Blue
Color Number 533



Gauge:
1/10



Pile Height:
0.43



Density:
2872

DESIGN


Fiber Type Polyester
Fiber Description
Construction Tufted
Gauge 1/10
Weight 35
Stitches Per Inch 8
Density 2872
Pile Height 0.43

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus GLP 7678
FHA Compliance Yes
Durability Rating 3
Made In USA NO

WEIGHTS & MEASURES

Roll Width 12 feet wide



Native Appeal

Style: BP44B | Fiber: EverStrand (polyester) | 20 Colors



Color: Weeping Willow - 713



Style Name	Native Appeal
Style Number	BP44B
Color Name	Beige
Color Number	713



DESIGN

Fiber Type	Polyester
Fiber Description	EverStrand (polyester)
Construction	Tufted
Gauge	1/8
Weight	25
Stitches Per Inch	9
Density	2586
Pile Height	0.348

PERFORMANCE & SUSTAINABILITY


IAQ Green Label Plus	GLP 7678
FHA Compliance	YES
Durability Rating	0
Made In USA	YES

WEIGHTS & MEASURES

Roll Width	12 feet wide
-------------------	--------------



Gauge:
1/8



Pile Height:
0.348



Density:
2586



Natural Focus

Style: BP42B | Fiber: EverStrand (polyester) | 20 Colors

Color: Weeping Willow - 713



Style Name Natural Focus
Style Number BP42B
Color Name Beige
Color Number 713



Gauge:
1/8



Pile Height:
0.349



Density:
2579

DESIGN

Fiber Type	Polyester
Fiber Description	EverStrand (polyester)
Construction	Tufted
Gauge	1/8
Weight	25
Stitches Per Inch	10
Density	2579
Pile Height	0.349

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus	GLP 7678
FHA Compliance	YES
Durability Rating	3
Made In USA	YES

WEIGHTS & MEASURES

Roll Width	feet wide
-------------------	-----------



Natural Design

Style: BP79B | Fiber: EverStrand (polyester) | 8 Colors

Color: Natural Linen - 718



Natural Linen - 718 Requisite - 739 Griffin - 825 Treasure - 828 Antler Velvet - 829 Artifact - 849 Argos - 915 Cityscape - 945

Style Name	Natural Design
Style Number	BP79B
Color Name	Beige
Color Number	718



DESIGN

Fiber Type	Polyester
Fiber Description	EverStrand (polyester)
Construction	Tufted
Gauge	1/8
Weight	25
Stitches Per Inch	9
Density	2571
Pile Height	0.35

PERFORMANCE & SUSTAINABILITY

IAQ Green Label Plus	GLP 7678
FHA Compliance	YES
Durability Rating	3
Made In USA	YES

WEIGHTS & MEASURES


Roll Width	12 feet wide
-------------------	--------------



Gauge:
1/8



Pile Height:
0.35



Density:
2571



Capella[®]
WOOD FLOORS



Capella[®] Wood Floors
A Great Value in Hardwood Flooring

THE NATURAL CHARACTER OF CAPELLA® HARDWOOD

Capella® Hardwood is abundant in natural character. In each carton, you can expect high color and character variation – each plank is unique in the type and amount of character featured. The grade of this product, classified as rustic, means the following natural characteristics of wood should be expected: Knots, Filled Checks, Large Mineral Streaks and High Color Variation.



Knots

Imperfections caused by living wood grain that grows around branches, sometimes filled with an epoxy for a smoother finish.



Filled Checks

A crack that occurs when wood dries, that is filled with an epoxy that bonds to the wood and prevents further expansion.



Large Mineral Streaks

Discolored olive and greenish-black areas common in many hardwoods.

High Color Variation

Differences in stain color, from plank to plank, can vary widely, particularly with Natural stained floors.

Because no two boxes of finished product are the same, samples, swatches and room scene visuals can all vary from the actual product received. Customers should be made aware of these naturally occurring, and varied, characteristics to set clear expectations of a final installation.

For an optimal installation, it is critical to mix planks from multiple cartons. Pre-planning the layout of the planks across the entire installation also ensures that the natural character is evenly distributed throughout the floor. With careful consideration and planning, a properly installed Capella® Hardwood floor will showcase the beauty, visual texture and natural character of hardwood.





HICKORY WIREBRUSHED | Engineered
Dark Gray EHHW53L02W



BIRCH SCRAPE | Engineered
Coffee ECBER53L402H

OAK SMOOTH | Solid
Natural SCKSS39L401

OAK SMOOTH SOLID & ENGINEERED HARDWOOD

- All colors available in both solid and engineered constructions
- Wide range of plank widths that highlight the varied character of Oak
- 5 on-trend colors in popular low gloss finish




MADE IN THE USA
Capella® Smooth hardwood floors feature more than 90% domestic content.



OAK SMOOTH | Solid
Butterscotch SCKSS39L402


PRODUCT STRUCTURE SOLID HARDWOOD

- Protective Wear Finish
- Natural Solid Hardwood
Grain Species Visual



PRODUCT STRUCTURE ENGINEERED HARDWOOD

- Protective Wear Layer
- Natural Solid Hardwood
Grain Species Visual
- Performance Plywood
Veneers



SOLID




OAK
Natural
2-1/4" SCKSS29L401
3-1/4" SCKSS39L401




OAK
Butterscotch
2-1/4" SCKSS29L402
3-1/4" SCKSS39L402



OAK
Gunstock
2-1/4" SCKSS29L403
3-1/4" SCKSS39L403



OAK
Saddle
2-1/4" SCKSS29L405
3-1/4" SCKSS39L405



OAK
Gray
2-1/4" SCKSS29L407
3-1/4" SCKSS39L407


SPECIFICATIONS

THICKNESS
3/4"


PLANK WIDTH
2-1/4" or 3-1/4"

LIMITED WARRANTY
Res: 15-year


ENGINEERED




OAK
Natural
3" x 1/2" EKCS34L01S
3" x 3/8" EKCS32L01S
5" x 1/2" EKCS54L01S
5" x 3/8" EKCS52L01S




OAK
Butterscotch
3" x 1/2" EKCS34L02S
3" x 3/8" EKCS32L02S
5" x 1/2" EKCS54L02S
5" x 3/8" EKCS52L02S



OAK
Gunstock
3" x 1/2" EKCS34L03S
3" x 3/8" EKCS32L03S
5" x 1/2" EKCS54L03S
5" x 3/8" EKCS52L03S



OAK
Saddle
3" x 1/2" EKCS34L04S
3" x 3/8" EKCS32L04S
5" x 1/2" EKCS54L04S
5" x 3/8" EKCS52L04S



OAK
Gray
3" x 1/2" EKCS34L05S
3" x 3/8" EKCS32L05S
5" x 1/2" EKCS54L05S
5" x 3/8" EKCS52L05S

SPECIFICATIONS

THICKNESS
1/2" or 3/8"

PLANK WIDTH
3" or 5"

LIMITED WARRANTY
Res: 15-year

BIRCH & HICKORY SCRAPE ENGINEERED HARDWOOD

BIRCH SCRAPE

- 5" wide planks showcase the fine, curly grain of Birch
- Choice of 5 colors in popular low gloss finish
- 6 ply engineered structure for proven stability

HICKORY SCRAPE

- 5" wide planks showcase the bold, rustic look of Hickory
- 5 on trend colors in popular low gloss finish
- 5 ply engineered structure for proven stability




MADE IN THE USA
Capella® Hickory Scrape hardwood floors feature more than 90% domestic content.



HICKORY SCRAPE | Engineered
Medium Gray ECHHR53L405H

PRODUCT STRUCTURE ENGINEERED HARDWOOD

- Protective Wear Layer
- Natural Solid Hardwood
Grain Species Visual
- Performance Plywood
Veneers




BIRCH SCRAPE




Wheat
5" ECBER53L401H




Coffee
5" ECBER53L402H



Chocolate
5" ECBER53L403H



Gray
5" ECBER53L405H



Mocha
5" ECBER53L404H


SPECIFICATIONS

THICKNESS
3/8"


PLANK WIDTH
5"

LIMITED WARRANTY
Res: 15-year


HICKORY SCRAPE




Warm Brown
5" ECHHR53L401H




Light Brown
5" ECHHR53L402H



Medium Brown
5" ECHHR53L403H



Medium Gray
5" ECHHR53L405H



Browned Black
5" ECHHR53L404H

MAPLE SCRAPE ENGINEERED HARDWOOD

MAPLE SCRAPE

- 5" wide planks showcase the bold, rustic look of Maple
- 5 on trend colors in popular low gloss finish
- 5 ply engineered structure for proven stability



MADE IN THE USA


Capella® Maple Scrape hardwood floors feature more than 90% domestic content.



MAPLE SCRAPE | Engineered
Natural EMCH52L01H

PRODUCT STRUCTURE ENGINEERED HARDWOOD

- Protective Wear Layer
- Natural Solid Hardwood
Grain Species Visual
- Performance Plywood
Veneers




MAPLE SCRAPE




Natural
5" EMCH52L01H



Brown Umber
5" EMCH52L02H



Java
5" EMCH52L03H



Mocha
5" EMCH52L04H



Glacier
5" EMCH52L05H

SPECIFICATIONS

THICKNESS
3/8"

PLANK WIDTH
5"

LIMITED WARRANTY
Res: 15-year

HICKORY WIREBRUSHED ENGINEERED HARDWOOD

- 5" wide planks showcase the bold, rustic look of Hickory
- 5 on trend colors in popular low gloss finish
- 5 ply engineered structure for proven stability




MADE IN THE USA
Capella® Wirebrushed hardwood floors
feature more than 90% domestic content.



HICKORY WIREBRUSHED | Engineered
Medium Tan EHHW53L04W

PRODUCT STRUCTURE ENGINEERED HARDWOOD



HICKORY WIREBRUSHED




Natural
5" EHHW53L01W




Medium Tan
5" EHHW53L04W



Medium Gray
5" EHHW53L03W



Dark Gray
5" EHHW53L02W



Black
5" EHHW53L05W

SPECIFICATIONS

THICKNESS
3/8"

PLANK WIDTH
5"

LIMITED WARRANTY
Res: 15-year

QUICK REFERENCE GUIDE

SOLID HARDWOOD

Collection	Thickness	Width	Species	Face Treatment	Gloss	Limited Warranty
OAK SMOOTH	3/4"	2-1/4" or 3-1/4"	Oak	Traditional	Low	Residential: 15-year

ENGINEERED HARDWOOD

Collection	Thickness	Width	Species	Face Treatment	Gloss	Limited Warranty
OAK SMOOTH	3/8" or 1/2"	3" or 5"	Oak	Traditional	Low	Residential: 15-year
BIRCH SCRAPE	3/8"	5"	Birch	Scraped	Low	Residential: 15-year
HICKORY SCRAPE	3/8"	5"	Hickory	Scraped	Low	Residential: 15-year
MAPLE SCRAPE	3/8"	5"	Maple	Scraped	Low	Residential: 15-year
HICKORY WIREBRUSHED	3/8"	5"	Hickory	Wirebrushed	Low	Residential: 15-year

TRIM & MOLDING

Add the perfect finishing touch by complementing the look of your new floor with coordinating trim and molding available in a wide selection of matching colors and profiles.



Threshold – Finishes the space where hardwood flooring ends (such as sliding glass doors, along wall bases, door thresholds and carpet).



T-Molding – Fills the gap at doorways, and finishes spaces between the two areas of hardwood flooring.



Reducer – Provides a smooth transition from your hardwood floor to another type of flooring of a lower height. Also, finishes the space where hardwood flooring ends against a vertical surface and where quarter round cannot be used (such as sliding glass doors, against cabinet toe kicks, or carpet).



Quarter Round – The classic finish to your hardwood floor, used where wall and flooring meet.



Stair Nose – The durability of hardwood flooring makes a great choice for staircases.



OAK SMOOTH | Engineered
Natural ECKE533L401



All trademarks are owned by AHF Products.
© 2019 AHF Products.

NOTE: Due to printing limitations, colors
pictured cannot be guaranteed to match actual
flooring material.

WF-1176-219

www.capellafloors.com

Shown on cover:
MAPLE SCRAPE | Engineered
Mocha EMCH52L04H

Bruce®

PHOTO: Embers, Birch, EBBF72L02W

BLACKSMITH'S FORGE™ | ENGINEERED HARDWOOD

American Made Quality and Beautiful Design

- Features a designer texture that will create a unique, one-of-a-kind look in your home
- Made from rustic Birch and featuring a classic reclaimed wood visual
- Featuring our most scratch and stain-resistant coating to keep your floor looking beautiful
- Quality 6-1/2" wide-width boards

25-YEAR LIMITED
RESIDENTIAL WARRANTY

3-YEAR LIMITED
COMMERCIAL WARRANTY



MADE IN THE USA

Blacksmith's Forge™ hardwood floors feature more than 90% domestic content.




SEAL OF APPROVAL
SCS Global Services

BLACKSMITH'S FORGE™ | ENGINEERED HARDWOOD

BIRCH




Ethereal
6-1/2" EBBF72L01W




Embers
6-1/2" EBBF72L02W



Elemental Slate
6-1/2" EBBF72L03W



Darkened Latte
6-1/2" EBBF72L04W



Carbon Grain
6-1/2" EBBF72L05W

BLACKSMITH'S FORGE ENGINEERED							
SPECIES	Birch	THICKNESS	3/8"	PLANK LENGTH(S)	10"-48"	CARTONS PER PALLET	36
WIDTH	6-1/2"	GLOSS	Low	SQ FT PER CARTON	30.5	FINISH	Dura-Luster® Urethane
EDGE DETAIL	Micro-beveled edges and ends			BOARD-TO-BOARD VARIATION	Most		
INSTALLATION	Float, Glue, Staple Below / On / Above Ground Level			WARRANTY	25-Year Limited Residential, 3-Year Limited Commercial		

	Quarter Round	T-Molding	Reducer Strip	Threshold	Stairnose
Ethereal	TQ0BR509L	TM0BR509L	TR2BR509L	TH0BR509L	TS2BR509L
Embers	TQ0BR510L	TM0BR510L	TR2BR510L	TH0BR510L	TS2BR510L
Elemental Slate	TQ0BR511L	TM0BR511L	TR2BR511L	TH0BR511L	TS2BR511L
Darkened Latte	TQ0BR512L	TM0BR512L	TR2BR512L	TH0BR512L	TS2BR512L
Carbon Grain	TQ0BR513L	TM0BR513L	TR2BR513L	TH0BR513L	TS2BR513L



PHOTO: Storm Point, Oak, EKAH72L09S

AMERICAN HONOR™ | ENGINEERED HARDWOOD

American Made Quality and Beautiful Design

- Scratch resistant performance with on-trend matte finish
- Lightly brushed texture enhances the natural character of the wood
- Beauty and durability at a competitive price

25-YEAR LIMITED RESIDENTIAL WARRANTY



MADE IN THE USA
American Honor™ hardwood floors feature more than 90% domestic content.




SEMPERUS BY SCS Global Services

AMERICAN HONOR™ | ENGINEERED HARDWOOD

OAK




American Natural
6-1/2" EKAH72L01S




Sand Bank
6-1/2" EKAH72L02S



Gunstock
6-1/2" EKAH72L03S




Hill Top
6-1/2" EKAH72L04S




Of The Woods
6-1/2" EKAH72L05S




Weathered Steel
6-1/2" EKAH72L07S




Wind Haven
6-1/2" EKAH72L08S



Storm Point
6-1/2" EKAH72L09S



Cave Hill
6-1/2" EKAH72L10S



Highland Trail
6-1/2" EKAH72L06S

AMERICAN HONOR ENGINEERED

SPECIES	Oak	THICKNESS	3/8" (nominal); 0.312" (actual)	PLANK LENGTH(S)	10" to 48"	CARTONS PER PALLET	36
WIDTH	6-1/2"	GLOSS	Low	SQ FT PER CARTON	30.5	FINISH	Scratch Resistant Performance
EDGE DETAIL	Micro-beveled edges and ends			BOARD-TO-BOARD VARIATION	Most		
INSTALLATION	Float, Glue, Staple Below / On / Above Ground Level			WARRANTY	25-Year Limited Residential		

	Quarter Round	T-Molding	Reducer Strip	Threshold	Stairnose	Touch-Up Kit	Filler
America Natural	TQORK484L	TMORK484L	TR2RK484L	THORK484L	TS2RK484L	S-1155	871270, 871285
Sand Bank	TQORK485L	TMORK485L	TR2RK485L	THORK485L	TS2RK485L	S-1152	871270, 871230
Gunstock	TQORK486L	TMORK486L	TR2RK486L	THORK486L	TS2RK486L	S-1152	871230, 871183
Hill Top	TQORK487L	TMORK487L	TR2RK487L	THORK487L	TS2RK487L	S-1153	871183, 871223
Of The Woods	TQORK488L	TMORK488L	TR2RK488L	THORK488L	TS2RK488L	S-1153	871223, 871265
Highland Trail	TQORK489L	TMORK489L	TR2RK489L	THORK489L	TS2RK489L	S-1153	871265
Weathered Steel	TQORK490L	TMORK490L	TR2RK490L	THORK490L	TS2RK490L	S-1155	871284, 871285
Wind Haven	TQORK491L	TMORK491L	TR2RK491L	THORK491L	TS2RK491L	S-1155	871285, 871286
Storm Point	TQORK492L	TMORK492L	TR2RK492L	THORK492L	TS2RK492L	S-1155	871285, 871281
Cave Hill	TQORK493L	TMORK493L	TR2RK493L	THORK493L	TS2RK493L	S-1155	871281, 871265

Bruce[®]



PHOTO: Timberline Gray, Ash, EAPL74L17WEE

STANDING TIMBERS™ | ENGINEERED HARDWOOD

American Made Quality and Beautiful Design

- Lightly brushed texture enhances the natural character of the wood
- A trending color palette, ideal for today's interior spaces
- Scratch resistant performance with an attractive matte finish
- Beauty and durability at a competitive price

25-YEAR LIMITED
RESIDENTIAL WARRANTY

3-YEAR LIMITED
COMMERCIAL WARRANTY



MADE IN THE USA


Standing Timbers™ hardwood floors feature more than 90% domestic content.




TESTED BY
SCS Global Services

STANDING TIMBERS™ | ENGINEERED HARDWOOD


ASH




Coastal Edge
6-1/2" EAPL74L14WEE




Sandy Hue
6-1/2" EAPL74L15WEE



Mountainside Taupe
6-1/2" EAPL74L16WEE



Timberline Gray
6-1/2" EAPL74L17WEE



Iron Bridge
6-1/2" EAPL74L18WEE

STANDING TIMBERS ENGINEERED					
SPECIES	Ash	THICKNESS	1/2"	HARDNESS	1320 (Industry Standard Oak- 1290)
WIDTH	6-1/2"	GLOSS	Low	LIGHT SENSITIVITY	Moderate
EDGE DETAIL	Micro-beveled edges and ends			BOARD-TO-BOARD VARIATION	Most
INSTALLATION	Float, Glue, Staple Below / On / Above Ground Level			WARRANTY	25-Year Limited Residential and 3-Year Limited Commercial

	Quarter Round	T-Molding	Reducer Strip	Threshold	Stairnose
Coastal Edge	TQ0AS521LW	TM0AS521LW	TR4AS521LW	TH0AS521LW	TS4AS521LW
Sandy Hue	TQ0AS522LW	TM0AS522LW	TR4AS522LW	TH0AS522LW	TS4AS522LW
Mountainside Taupe	TQ0AS523LW	TM0AS523LW	TR4AS523LW	TH0AS523LW	TS4AS523LW
Timberline Gray	TQ0AS524LW	TM0AS524LW	TR4AS524LW	TH0AS524LW	TS4AS524LW
Iron Bridge	TQ0AS525LW	TM0AS525LW	TR4AS525LW	TH0AS525LW	TS4AS525LW



PHOTO: Old Town, Maple, EMWB53L02HEE

WOODSON BEND™ | ENGINEERED HARDWOOD

Hand Scraped for Rustic Sophistication

- Hand Scraped
- Wide Width
- Beautiful Color Range
- Popular Maple and Hickory Species

25-YEAR LIMITED RESIDENTIAL WARRANTY




MADE IN THE USA
Woodson Bend™ hardwood floors feature more than 90% domestic content.



SEMPERUS BY SCS Global Services

WOODSON BEND™ | ENGINEERED HARDWOOD


MAPLE




Bluff Trail
5" EMWB53L01HEE




Old Town
5" EMWB53L02HEE




Creek View
5" EMWB53L03HEE



Mountain Revival
5" EMWB53L04HEE



Rich Brown
5" EMWB53L05HEE



Silver Shade
5" EMWB53L06HEE

HICKORY



Misty Gray
5" EHWB53L01HEE

WOODSON BEND ENGINEERED					
SPECIES	Hickory, Maple	THICKNESS	1/2"	HARDNESS	Hickory - 1820, Maple - 1359 (Industry Standard Oak- 1290)
WIDTH	5"	GLOSS	Low	LIGHT SENSITIVITY	Moderate
EDGE DETAIL	Micro-beveled edges and ends			BOARD-TO-BOARD VARIATION	More, Most
INSTALLATION	Float, Glue, Staple	Below / On / Above Ground Level		WARRANTY	25-Year Limited Residential

	Quarter Round	T-Molding	Reducer Strip	Threshold	Stairnose
Bluff Trail	TQ0MA526LH	TM0MA526LH	TR5MA526LH	TH0MA526LH	TS5MA526LH
Old Town	TQ0MA527LH	TM0MA527LH	TR5MA527LH	TH0MA527LH	TS5MA527LH
Creek View	TQ0MA528LH	TM0MA528LH	TR5MA528LH	TH0MA528LH	TS5MA528LH
Mountain Revival	TQ0MA529LH	TM0MA529LH	TR5MA529LH	TH0MA529LH	TS5MA529LH
Rich Brown	TQ0MA197L	TM0MA197L	TR5MA197L	TH0MA197L	TS5MA197L
Silver Shade	TQ0MA198L	TM0MA198L	TR5MA198L	TH0MA198L	TS5MA198L
Misty Gray	TQ0MA192L	TM0MA192L	TR5MA192L	TH0MA192L	TS5MA192L

Bruce®



PHOTO: Extra Spice, Oak, C1224LG

MANCHESTER™ | SOLID HARDWOOD

Traditional Beauty and Durability

- Features 3-1/4" planks for a more traditional wood floor design
- Beautiful colors accentuate the natural grain pattern and character of oak
- Features Dura-Luster® Plus coating, a multi-layer finish and highest level of protection

35-YEAR LIMITED RESIDENTIAL WARRANTY



ALL BRUCE SOLID HARDWOOD FLOORS ARE PROUDLY MADE IN THE USA.




MANCHESTER™ | SOLID HARDWOOD

OAK




Natural
3-1/4"

C1220LG




Royal Ginger
3-1/4"

C1222LG




Extra Spice
3-1/4"

C1224LG



Aged Sherry
3-1/4"

C1230LG



Earl Gray
3-1/4"

C1250LG

MANCHESTER SOLID							
SPECIES	Oak	THICKNESS	3/4"	PLANK LENGTH(S)	8.25"-84"	CARTONS PER PALLET	32
WIDTH	3-1/4"	GLOSS	Low	SQ FT PER CARTON	22	FINISH	Dura-Luster® Plus Urethane
EDGE DETAIL	Micro-beveled edges and square ends			BOARD-TO-BOARD VARIATION	Most		
INSTALLATION	Nail On / Above Ground Level			WARRANTY	35-Year Limited Residential, Lifetime Structural Warranty		

	Quarter Round	T-Molding	Reducer Strip	Threshold	Stairnose
Natural	TQORK637L	TMORK637L	TR9RK637L	THORK637L	TS9RK637L
Royal Ginger	TQORK638L	TMORK638L	TR9RK638L	THORK638L	TS9RK638L
Extra Spice	TQORK639L	TMORK639L	TR9RK639L	THORK639L	TS9RK639L
Aged Sherry	TQORK640L	TMORK640L	TR9RK640L	THORK640L	TS9RK640L
Earl Gray	TQORK641L	TMORK641L	TR9RK641L	THORK641L	TS9RK641L

Bruce®



PHOTO: Seaside Calm, Oak, CB4260LG

DUNDEE™ | SOLID HARDWOOD

Showcasing the Beauty and Character of Oak

- Made from select and premium grade Appalachian Oak
- Delivers greater stability and color consistency, with fewer streaks and knots
- Beautiful colors accentuate the natural grain pattern and character of oak
- Features Dura-Luster® Plus coating, a multi-layer finish and highest level of protection

**50-YEAR LIMITED
RESIDENTIAL WARRANTY**



**ALL BRUCE SOLID HARDWOOD FLOORS
ARE PROUDLY MADE IN THE USA.**



Bruce®

DUNDEE™ | SOLID HARDWOOD

OAK




Inviting Warmth
4" CB4230LG



Natural
4" CB4220LG



First Frost
4" CB4265LG



Seaside Calm
4" CB4260LG



Equestrian Woods
4" CB4225LG

DUNDEE SOLID							
SPECIES	Oak	THICKNESS	3/4"	PLANK LENGTH(S)	8.25"-84"	CARTONS PER PALLET	50
WIDTH	4"	GLOSS	Low	SQ FT PER CARTON	18.5	FINISH	Dura-Luster® Plus Urethane
EDGE DETAIL	Micro-beveled edges and square ends			BOARD-TO-BOARD VARIATION	Most		
INSTALLATION	Nail On / Above Ground Level			WARRANTY	50-Year Limited Residential, Lifetime Structural Warranty		

	Quarter Round	T-Molding	Reducer Strip	Threshold	Stairnose
Natural	TQORK642L	TMORK642L	TR9RK642L	THORK642L	TS9RK642L
Equestrian Woods	TQORK643L	TMORK643L	TR9RK643L	THORK643L	TS9RK643L
Inviting Warmth	TQORK644L	TMORK644L	TR9RK644L	THORK644L	TS9RK644L
Seaside Calm	TQORK645L	TMORK645L	TR9RK645L	THORK645L	TS9RK645L
First Frost	TQORK646L	TMORK646L	TR9RK646L	THORK646L	TS9RK646L

All Level 1


DREES LVP



**MORE MOVE-INS ARE
BUILT ON MOHAWK.**


MOHAWK
BUILDER + MULTIFAMILY

Dinsmore 325 Dinsmore 10 Colors	Overall Thickness: 6mm	Wear Layer: 12 mils with pad	Install Method: Click
Raddison 13 Raddison 9 Colors	Overall Thickness: 6.5mm	Wear Layer: 12 mils with pad	Install Method: Click
Variance 21 Variance 3 Colors	Overall Thickness: 6.5mm	Wear Layer: 12 mils with pad	Install Method: Click
Perfect Beauty 130 Perfect Beauty 11 Colors	Overall Thickness: 6.5mm	Wear Layer: 12 mils with pad	Install Method: Click
Unique Appeal 120 6 Colors	Overall Thickness: 6.5mm	Wear Layer: 22 mils with pad	Install Method: Click
Splendid Design 270 8 Colors	Overall Thickness: 6.5mm	Wear Layer: 22 mils with pad	Install Method: Click
Barbour 253 SolidTech Plus 8 Colors	Overall Thickness: 6mm	Wear Layer: 20 mil	Install Method: Click



Dinsmore

Style: RP374 | Dinsmore | 10 Colors

Color: Wanaka - 325



Wanaka - 325 Aster - 350 Tallow - 360 Bismuth - 453 Brista - 480 Ammonite - 552 Milkshake - 915 Phantom Mist - 950 Calluna - 975 Duke Grey - 980

Style Name	Dinsmore
Style Number	RP374
Color Name	Wanaka
Color Number	325
Product Type	Dinsmore
Installation Method	Click

DESIGN

Roll Width	6" x 49"
Surface Appearance	Wood
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	12 mils with pad
Resistance To Heat	

WEIGHTS & MEASURES

Pieces per Carton	12
--------------------------	----



Raddison

Style: RDS44 | Raddison | 9 Colors

Color: Sandstorm - 13



Sandstorm - 13 Gunmetal - 14 Teatime - 19 Chinchilly - 345 Cinnabar - 432 Clove - 490 Anise - 510 Hazy Daze - 925 Acier - 982

Style Name	Raddison
Style Number	RDS44
Color Name	Sandstorm
Color Number	13
Product Type	Raddison
Installation Method	Click

DESIGN

Roll Width	7" x 49"
Surface Appearance	Wood
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	12 mils with pad
Resistance To Heat	ASTM F1514

WEIGHTS & MEASURES


Pieces per Carton	10
--------------------------	----



Color: Silhouette - 21

Variance

Style: VRN45 | Variance | 3 Colors



Silhouette - 21 Shadow Wood - 22 Silver Shadows - 24

Style Name	Variance
Style Number	VRN45
Color Name	Silhouette
Color Number	21
Product Type	Variance
Installation Method	Click

DESIGN

Roll Width	7" x 49"
Surface Appearance	Wood
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	12 mils with pad
Resistance To Heat	ASTM F1514

WEIGHTS & MEASURES

Pieces per Carton	10
--------------------------	----



Perfect Beauty

Style: RP375 | Perfect Beauty | 11 Colors

Color: Amber - 130



Amber - 130 Marigold - 155 Jasmine Rice - 321 Cola Nut - 485 Chilled Chardennay - 902 Kyoto - 912 Kyoto - 912 Poetry Grey - 920 Licorice - 962 Licorice - 962 Brinjal - 999

Style Name	Perfect Beauty
Style Number	RP375
Color Name	Amber
Color Number	130
Product Type	Perfect Beauty
Installation Method	Click

DESIGN


Roll Width	7" x 60"
Surface Appearance	Wood
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	12 mils with pad
Resistance To Heat	

WEIGHTS & MEASURES


Pieces per Carton	6
--------------------------	---



Color: Arctic White - 120

Unique Appeal

Style: RP802 | 6 Colors



Arctic White - 120 Crema - 220 Coral Reef - 260 Pebblestone - 925 Cashmere Pearl - 926 Russet - 990

Style Name	Unique Appeal
Style Number	RP802
Color Name	Arctic White
Color Number	120
Product Type	
Installation Method	Click

DESIGN

Roll Width	12" x 24"
Surface Appearance	Stone
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	22 mils with pad
Resistance To Heat	

WEIGHTS & MEASURES

Pieces per Carton	10
--------------------------	----



Splendid Design

Style: RP801 | 8 Colors

Color: Sienna - 270



Sienna - 270 Sandstorm - 310 Caramel Oak - 350 Natural Pecan - 840 Hayloft - 890 Platinum Grey - 905 Fossil Grey - 920 Weathered Grey - 930

Style Name	Splendid Design
Style Number	RP801
Color Name	Sienna
Color Number	270
Product Type	
Installation Method	Click

DESIGN

Roll Width	7" x 59"
Surface Appearance	Wood
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	22 mils with pad
Resistance To Heat	

WEIGHTS & MEASURES

Pieces per Carton	10
--------------------------	----



Color: Ellsworth - 253



Ellsworth - 253 Hana - 260 Aberdeen - 320 Berkeley - 830 Jamestown - 865 Nantucket - 905 Caledonia - 961 Hillsboro - 970

Barbour

Style: BBR01 | SolidTech Plus | 8 Colors

Style Name	Barbour
Style Number	BBR01
Color Name	Ellsworth
Color Number	253
Product Type	SolidTech Plus
Installation Method	Click

DESIGN

Roll Width	7.5" x 48"
Surface Appearance	Wood
Construction	Rigid

PERFORMANCE & SUSTAINABILITY

Wear Layer	20 mil
Resistance To Heat	

WEIGHTS & MEASURES

Pieces per Carton



PHOTO: Downtown, Urban Neutral A6109

RIGID CORE ESSENTIALS™ | RIGID CORE FLOORING

Built to Last, Easy-to-Install Flooring

DESIGN

- 10 classic and on-trend designs inspired by natural hardwood
- 6" x 48" planks
- Reduced sound transmission from attached underlayment

DURABILITY

- Urethane coated wear layer protects against scratches, scuffs and stains for a long-lasting new floor look and performance
- Solid polymer core provides superior dent resistance and does not telegraph
- 100% waterproof* planks are ideal for high-moisture areas including: kitchens, bathrooms and laundry rooms

EASY INSTALLATION

- No glue, pad or underlayment required
- Attached polyethylene underlayment helps hide minor subfloor imperfections
- Rigid planks easily lock into place



PHOTO: Tuckahoe Hickory, South Creek Brown, A6105



Rigid Core Essentials rigid core flooring is FloorScore® certified to meet or exceed low emission standards and will not adversely affect indoor air quality.



*When exposed to water planks will not swell, buckle or lose integrity. See warranty for details.

RIGID CORE ESSENTIALS™

RIGID CORE FLOORING




WHISPERING SUMMIT




Ethereal Glow
A6100


WOLF POINT HICKORY



Silver Reflection
A6101



Moon Shadow
A6102




Fallen Leaves
A6103

STAFFORD OAK




Blue Misted Gray
A6104

CHESHIRE OAK




Buttermilk
A6106

TUCKAHOE HICKORY




South Creek Brown
A6105

TRAILHEAD OAK




Sedona Dust
A6107

CASCADE WALNUT



Carbon Gray
A6108

DOWNTOWN



Urban Neutral
A6109



PHOTO: Wolf Point Hickory, Moon Shadow, A6102

RIGID CORE ESSENTIALS™

RIGID CORE FLOORING



RIGID CORE ESSENTIALS™ PRODUCT AND WARRANTY INFORMATION

PRODUCT INFORMATION	
CONSTRUCTION	UV coating, 12 mil wear layer, 4 mm rigid polymer core, 1 mm IXPE underlayment
THICKNESS	5 mm
WEAR LAYER	12 mil
FINISH	Urethane
INSTALLATION	Angle Locking Below / On / Above Ground Level
EDGE DETAIL	Painted Micro-Bevel
COORDINATED TRIM	Color matched multi-purpose, overlap stairnose, flush stairnose and end cap profiles available to add a finishing touch to any floor design.
PACKAGING	
SIZE	6" x 48" (15,24 cm x 121,92 cm)
PIECES PER CARTON	10 (18.80 sq. ft.) 1.75 m ²
SHIPPING WEIGHT PER CARTON	31.2 lbs. (14.18 kg)
WARRANTY	
RESIDENTIAL	30-year Limited Warranty
COMMERCIAL	7-year Limited Warranty

FLOOR CARE

The Armstrong family of floor care products is designed to keep your floor looking as beautiful as the day it was installed.

Ask your Armstrong Flooring retailer about:

- Once 'n Done® Resilient & Ceramic Floor Cleaner



PHOTO: Trailhead Oak, Sedona Dust, A6107



PHOTO: Hickory Bridge, Salty A6930, Staying Neutral A6931 & Tenacious Taupe A6932

RIGID CORE VANTAGE™ | RIGID CORE FLOORING

The Foundation For Dramatic Spaces

STRIKING DESIGN

- Large format 7 in. and 9 in. x 60 in. planks
- Enhanced 4-sided painted bevels to accentuate each plank
- Rigid Core Vantage™ R features the realism of embossed-in-register texture for the look and feel of authentic wood

INSTALLATION EASE

- No acclimation for most installations
- No adhesive required in sunny areas
- Quick & easy one piece drop-lock
- Cork underlayment helps hide minor subfloor imperfections

POWERFUL PERFORMANCE & TIMELESS DURABILITY

- Commercial-specification 20 mil wear layer with urethane coating
- Dense solid polymer composite core for superior dent resistance
- 100% waterproof*
- 3-season room installation†
- Premium natural cork pad for reduced sound transmission




PHOTO: Summerfield Oak, Stone Harbor Gray, A6906



Rigid Core Vantage rigid core flooring is FloorScore® certified to meet or exceed low emission standards and will not adversely affect indoor air quality.


*When exposed to water planks will not swell, buckle or lose integrity. See warranty for details. †Can be installed in fully-enclosed three-season rooms where the expected temperature range is 32° F to 100° F.

RIGID CORE VANTAGE™ RIGID CORE FLOORING




RIGID CORE VANTAGE™ R (Registered Embossing)


7" x 60" PLANKS




Summerfield Oak
Sand Castle A6904



Summerfield Oak
Sunset Glow A6905




Summerfield Oak
Stone Harbor Gray A6906




Summerfield Oak
Dockside Brown A6903




Camargo Oak
Silver Dollar A6910




Camargo Oak
Sand Dollar A6911




Camargo Oak
Nickel Mine A6913



Camargo Oak
Penny Arcade A6912




Woodward Winds
Beige Breeze A6920




Woodward Winds
Gusty Gray A6921

RIGID CORE VANTAGE™


7" x 60" PLANKS




Hickory Bridge
Salty A6930




Hickory Bridge
Tenacious Taupe A6932




Hickory Bridge
Staying Neutral A6931



Bonanza Springs
Paint Brush A6950



Clover Dale Oak
Gray Glimmer A6940



Clover Dale Oak
Sunny Blush A6941



PHOTO: Bonanza Springs, Paint Brush, A6950

RIGID CORE VANTAGE™ RIGID CORE FLOORING




RIGID CORE VANTAGE™


9" x 60" PLANKS




Sassafras Lodge
Tosted Marshmallow A6960



Sassafras Lodge
Fall Foliage A6961



Fireside Tavern
Golden Ale A6970



Artist Loft
Graphite A6980



PHOTO: Artist Loft, Graphite, A6980

RIGID CORE VANTAGE™

NOMINAL SIZE 7" x 60" & 9" x 60"

THICKNESS 6 mm (0.236")

WEAR LAYER 20 mil (0.5 mm)

EDGE DETAIL Painted Micro-Bevel

CONSTRUCTION 5mm Rigid Polymer Core with 1mm attached cork underlayment

INSTALLATION Drop-Lock

WARRANTY 30-Year Limited Residential and 15-year Limited Commercial

COVERAGE 7" - 17.5 sq.ft., 6 pcs per carton; 9" - 22.1 sq.ft., 6 pcs per carton

RECOMMENDED ACCESSORIES Color matched Multi-Purpose Trim, Flush Stairnose, Overlap Stairnose and End Cap available with each design and color

FLOOR CARE

The Armstrong family of floor care products is designed to keep your floor looking as beautiful as the day it was installed.

Ask your Armstrong Flooring retailer about:

- Once 'n Done® Resilient & Ceramic Floor Cleaner



PHOTO: Bendera Blend, Glenbrook Gray A6331

RIGID CORE ELEMENTS™ | RIGID CORE FLOORING

Beautiful, Long-Lasting, Easy-To-Install Flooring

DESIGN

- 18 classic and on-trend designs inspired by natural hardwood
- 6" & 7" x 48" planks
- Reduced sound transmission from attached underlayment

DURABILITY

- Urethane wear layer protects against scratches, scuffs and stains for a long-lasting new floor look and performance
- Dense polymer core provides superior indent resistance and does not telegraph
- 100% waterproof* planks are ideal for high-moisture areas including: kitchens, bathrooms, mudrooms and basements

EASY INSTALLATION

- No glue, pad or underlayment required
- Attached polyethylene underlayment helps hide minor subfloor imperfections
- Rigid planks easily lock into place



PHOTO: Artesia Oak, Neutral, A6324



Rigid Core Elements rigid core flooring is FloorScore[®] certified to meet or exceed low emission standards and will not adversely affect indoor air quality.




*When exposed to water planks will not swell, buckle or lose integrity. See warranty for details.

RIGID CORE ELEMENTS™


RIGID CORE FLOORING



6" x 48" PLANKS




American Elm
Butternut A6301




American Elm
Autumn Landscape A6302




American Elm
Bearskin Brown A6303



American Elm
Peppercorn A6304




Honeycreek Hickory
Early Morning Haze A6310




Uniontown Oak
Neutral Sky A6305



Uniontown Oak
Indigo Dust A6306




Uniontown Oak
Roasted Chestnut A6307




Devon Oak
Burnt Umber A6311




Smithville Oak
Mocha Taste A6312



Smithville Oak
Copper Lustre A6313



Smithville Oak
Warm Embers A6314



Society Oak
Neutral Ground A6315




PHOTO: Society Oak, Neutral Ground, A6315


RIGID CORE ELEMENTS™ RIGID CORE FLOORING




7" x 48" PLANKS




Alemeda Oak
Twilight Taupe A6319




Artesia Oak
Neutral A6324



Bendera Blend
Glenbrook Gray A6331



Tamarron Timber
Gilded Earth A6308



Tamarron Timber
Taupe Terrain A6309

RIGID CORE ELEMENTS™ PRODUCT AND WARRANTY INFORMATION

PRODUCT INFORMATION	
CONSTRUCTION	UV coating, 12 mil wear layer, 4 mm rigid polymer core, 1 mm IXPE underlayment
THICKNESS	5 mm
WEAR LAYER	12 mil
FINISH	Urethane
INSTALLATION	2G Locking Below / On / Above Ground Level
EDGE DETAIL	Micro-Bevel
COORDINATED TRIM	Color matched multi-purpose and overlap stairnose profiles available to add a finishing touch to any floor design.
PACKAGING	
SIZES	5.67 in. x 47.76 in. (144 mm x 1,213 mm) 6.93 in. x 47.76 in. (176 mm x 1,213 mm)
PIECES PER CARTON	5.67 in. x 47.76 in. – 14 (26.32 sq. ft.) 2.45 m ² 6.93 in. x 47.76 in. – 11 (25.28 sq. ft.) 2.35 m ²
SHIPPING WEIGHT PER CARTON	5.67 in. x 47.76 in. – 44.65 lbs. (20.30 kg) 6.93 in. x 47.76 in. – 42.88 lbs. (19.49 kg)
WARRANTY	
RESIDENTIAL	30-year Limited Warranty
COMMERCIAL	7-year Limited Warranty
FLOOR CARE	

The Armstrong family of floor care products is designed to keep your floor looking as beautiful as the day it was installed.

Ask your Armstrong Flooring retailer about:

- Once 'n Done® Resilient & Ceramic Floor Cleaner



PHOTO: Alemeda Oak, Twilight Taupe, A6319

Included

SCOTTSDALE

SHEET VINYL




MOHAWK
PORTICO COLLECTION

SCOTTSDALE



SPECIFICATIONS

Construction	Sheet Vinyl	Width	12'
Recommended Usage	Builder/Multifamily	Standard length	150 Lineal ft.
Thickness	55 Gauge	Warranty	Limited 5 yr. Builder/Multifamily
Wear Layer	10 Invisicare™		

TESTING INFORMATION

ASTM 1303	Type 1, Grade 3
ASTM F1914 Residual Indentation	0.006 in
ASTM F137 Flexibility	10mm Passes
ASTM F1514 Resistance to Heat	Passes
ASTM F1515 Resistance to Light	Passes
ASTM F925 Resistance to Chemicals	Very Good
ASTM C 1028-96 Static Coefficient of Friction	Dry 0.77/Wet 0.61
ASTM E492-09 Sound Transmission/Impact Insulation	Class IIC 54
ASTM E648-08 Radiant Flux of Floor Covering	Class I
ASTM E662-03 Smoke Density (flaming)	Passes 450 or less
ASTM E662-09 Smoke Density (non-flaming)	Passes 450 or less

ADHESIVES AND SEAM SEALER

Style	Description	Spread Rate
VP65 Adhesive	Mohawk M640 - 4 gallon	300 sqf/gallon*
VP65 Adhesive	Mohawk M640 - 1 gallon	300 sqf/gallon*
VP7 Seam Sealer	Mohawk M7 - 8 oz	100 LF with 1/8" bead
VP7 Seam Sealer	Mohawk M7 - 1 quart	400 LF with 1/8" bead
VP23 Primer	Mohawk Prime Coat - 4 gallon	315-360 sf/gallon


*with 3/8" short nap paint roller




WOOD VISUALS




519 - MERLOT
39.37" x 39.37"
Drop: 19.69"




545 - NATURAL WALNUT
39.37" x 47.24"
Drop: 23.62"




549 - WHISKEY BARREL
39.37" x 39.37"
Drop: 19.69"



564 - GOLDEN RYE
39.37" x 39.37"
Drop: 19.69"



565 - BEACON HILL
39.37" x 39.37"
Drop: 19.69"



566 - CHERRY SPICE
39.37" x 39.37"
Drop: 19.69"



590 - RUSTIC TAUPE
39.37" x 39.37"
Drop: 19.69"




1030 - NEUTRAL MAPLE
39.37" x 39.37"
Drop: 39.37"



598 - GREY NUANCE
39.37" x 39.37"
Drop: 19.69"


TILE VISUALS




531 - IVORY COAST
39.37" x 39.37"
Drop: 19.69"




568 - CARAMEL LATTE
39.37" x 39.17"
Drop: 19.69"



593 - COBBLESTONE
39.37" x 39.37"
Drop: 19.69"



593 - COOL SANDS
39.37" x 39.37"
Drop: 15.78"



594 - HONEY SLATE
39.37" x 39.37"
Drop: 19.69"



597 - STUCCO GREY
47.24" x 39.37"
Drop: 15.75"



930 - CANYON TAN
47.24" x 39.37"
Drop: 31.5"



1031 - SEDONA
39.37" x 39.37"
Drop: 19.69"



Included



DURACOR

SPECIFICATIONS

DURACOR

Thickness.....50 Gauge
Wear Layer.....10 mil PVC
Warranty.....5-YR Limited Residential
Roll Width.....6' or 12'
Installation Method.....Releasable Full Spread



COLOR SHOWN: CLOUDLAND



WATERPROOF



SEAMLESS



RESILIENT



BARNWOOD DUSK
049



BROWN CHENILLE
034



RUSSET RELAY
065



CAMEL BROWN
055



GREY OMBRE
094



IVORY DREAM
038



MYSTIC SLATE BROWN
039



BEIGE BEAUTY
031




CONNASAUGA BROWN
048



HAZELWOOD
046



SANDCASTLE
035



CLOUDLAND
092

ADHESIVES & SEAM SEALER

INVENTORY STYLE NUMBER	DESCRIPTION	SPREAD RATE
MVONE.40.4GAL.GL M	MOHAWK V-ONE - 4 GAL	350 SF/GAL*
MVONE.10.1GAL.GL M	MOHAWK V-ONE - 1 GAL	350 SF/GAL*
M7	MOHAWK M7 - 8OZ	100 LF W/ 1/8" BEAD
XL23	MOHAWK PRIME COAT - 4 GAL	315-360 SF/GAL

*with 3/8" short nap paint roller

